

SARENA

TEXTILE INDUSTRIES

ATPV
8
(cal/cm²)

ATPV
10
(cal/cm²)

ATPV
12
(cal/cm²)

ATPV
13
(cal/cm²)

ATPV
16
(cal/cm²)

ASTM
APPROVED
ASTM
1506

ASTM
APPROVED
ASTM
1959



EN 11611



EN 11612



EN 61482



EN ISO 14116



GROUP VISION

To be a world class textile solutions provider, by leveraging our global positioning, and to create strong growth potential, thereby increasing value for our shareholders.

OUR VALUES:

EXCELLENCE



SIGNIFICANCE



INSTITUTIONALIZATION



TABLE OF CONTENTS

Value Added Services.....	4
FR & Non FR Shirts (Stretch & Non-Stretch).....	7-15
FR & Non FR Pants	16-23
Exclusive New Denim FR Products.....	24
FR Washed Denim Pants.....	25
FR Unwashed Denim w/reflective tape.....	26
FR & Non FR Coverall (200GSM-350GSM).....	27-49
FR & Non FR 2 PCS Coverall (Pants & Shirts)(200GSM-350GSM).....	50-62
Inherent FR Coverall.....	63-65
FR & Non FR Jackets(250GSM-288GSM).....	66-73
Safety Vests (FR & Non-FR Twills).....	74-75
Aprons (FR & Non-FR Denims & Twills).....	76
Lab Coats (FR & Non-FR Twills).....	77
Chef's Jacket (FR & Non-FR Twills).....	78
Scrubs (FR & Non-FR Twills).....	79
Puffer Jackets.....	80
Fashion wear (Denim Pants & Shorts)(Stretch & Non-Stretch).....	81
Fashion wear (Cargo Pants & Chinos)(Stretch & Non-Stretch).....	82
Sarena & Sustainability.....	83
How we measure up.....	84
Contact Us.....	85

SARENA
TEXTILE INDUSTRIES

GROUP OF COMPANIES

**YARN DYEING | WEAVING | DYEING
FINISHING | PRINTING | MANUFACTURING**

Sarena Textiles Industries is a cluster of vertically integrated, Textile production units, that deal in producing multiple textile products ranging from Dyed Yarn to Apparel and everything in between.

With rich experience of more than 50 years in textile Retail, Manufacture and Export, Sarena is a fully accredited and credible textile solutions provider, with offices across the world; we proudly conduct all our operations with complete transparency and integrity.

We believe in forming long-term, mutually beneficial partnerships with our customers, based on sincerity, trust and the pursuit of the highest standards.




WE OFFER VALUE ADDED SERVICES

A stock of ready goods at your door step and close to your business.



Products design in absolute compliance with latest regional legislation for performance EN standards of protective Apparel.



Use of durable, comfortable, affordable material and technologies best suited for the regional climate.



Product research and design development to meet any specific requirement you may have.



A complete range of Supply chain material as embroidery, printing, distinctive products design features, customized sizes & special accessories.



Complete assurance of quality and performance of all products.



Reliable customer services to answer your questions, resolve complaints, show true business partnership and design custom solutions for your business.



OUR PRODUCTS

EXCELLENT PERFORMANCE WITH DURABILITY & CUSTOMIZED AT EN STANDARDS



FLAME RETARDANT



ARC FLASH PROTECTION



HIGH VISIBILITY



EXCELLENT
COLORFASTNESS














DUAL COMPLIANCE



SUPERIOR
COMFORT

MULTI- NORM FABRICS/GARMENTS

-  **PROBAN FR**
-  **HEAT RESISTANCE**
-  **ARC RESISTANCE**
-  **MOLTEN METAL PROTECT**
-  **ANTISTATIC SOIL RELEASE**
-  **UV PROTECTION**
-  **ACID REPELLENT**
-  **CHEMICAL REPELLENT**
-  **WATER OIL REPELLENT**
-  **MOSQUITO REPELLENT**
-  **INHERENT**



FUTURE OF SAFETY

1. FR & NON FR **TWILL** (PANTS, SHIRTS, COVERALL, 2PCS PANT & SHIRT, JACKETS, APRON, LAB COATS)
2. FR & NON FR **DENIM** (PANTS, SHIRTS, COVERALL, 2PCS PANT & SHIRT, JACKETS, APRON, LAB COATS)
3. CHEF COATS
4. FR **SAFETY VEST**
5. FR & NON FR SCRUB SUITS
6. **HIGH ALTITUDE** PRODUCTS
7. PPE ACCESSORIES
8. BAGS/CAPS
9. ARMY UNIFORM
10. **FASHION** ARTICLES (TWIL & DENIM)





FR SHIRT

(HALF PANAMA)

CAT 2 &
ATPV RATING 8 CAL



Fabric Specification

- **Weight:** 195GSM, **Weave:** 2/1 Half Panama Duck,
- **Specialty:** Proban Fire Retardant

Care Instructions

- Maximum washing temperature 60°C normal process
- Do not bleach
- Professional dry cleaning
- Iron at a maximum sole-plate temperature of 150°C
- Do not tumble dry.

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Chest pockets with flaps and snap buttons for secure storage
- Bartack at all stress points
- Additional tool pocket at shoulder

COLORS

OCEAN BLUE - BEIGE - GREY

STANDARDS



PROBAN



SIZE RANGE (CM)

SIZE	Collar/ Neck Length	Length (from HPS)
S	36.00	74.50
M	38.50	76.50
L	41.00	78.50
XL	43.50	80.50
2XL	46.00	81.00
3XL	48.50	81.50
4XL	51.00	82.00
5XL	53.50	82.50

IFR ROCK 150 GSM SHIRT

(74% META ARAMID 5% PARA ARAMAID 19% MOD 2% ANTISTATIC)

CAT 1 &
ATPV- 4.1



Fabric Specification

- **Weight:** 150GSM,
- **Weave:** 1/1S Twill **Specialty:** Inherent Fire Retardant(IFR) & Antistatic Finish

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧼 Professional dry cleaning
- 🔧 Iron at a maximum sole-plate temperature of 150°C
- 🚫 Do not tumble dry.

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Excellent colorfastness. 3% washing shrinkage
- Inherent FR Properties lasts lifetime of the fabric
- FR Sewing thread & Buttons
- FR Properties lasts lifetime of the fabric
- Chest pockets with flaps
- All Labelling NON FR
- Bartack at all stress points

COLORS

OCEAN BLUE - BEIGE - GREY

STANDARDS



SIZE RANGE (CM)

SIZE	Collar/ Neck Length	Length (from HPS)
S	36.00	74.50
M	38.50	76.50
L	41.00	78.50
XL	43.50	80.50
2XL	46.00	81.00
3XL	48.50	81.50
4XL	51.00	82.00
5XL	53.50	82.50

FR OLYMPIA SHIRT

CAL1



Fabric Specification

- **Weight:** 175GSM,
- **Weave:** 2/1S Twill **Specialty:** Proban Fire Retardant

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- Ⓟ Professional dry cleaning
- 🔧 Iron at a maximum sole-plate temperature of 150°C
- ❌ Do not tumble dry.

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Chest pockets with flaps and snap buttons for secure storage
- Bartack at all stress points
- Additional tool pocket at shoulder

COLORS

OCEAN BLUE - BEIGE - GREY

STANDARDS



PROBAN



SIZE RANGE (CM)

SIZE	Collar/ Neck Length	Length (from HPS)
S	36.00	74.50
M	38.50	76.50
L	41.00	78.50
XL	43.50	80.50
2XL	46.00	81.00
3XL	48.50	81.50
4XL	51.00	82.00
5XL	53.50	82.50

FR STRETCH SHIRT

(REMMY)

CAT 2 &
ATPV RATING 8.2 CAL



Fabric Specification

- **Weight:** 220GSM, **Weave:** 2/1 Twill,
- **Specialty:** Proban Fire Retardant

Care Instructions

- Maximum washing temperature 60°C normal process
- Do not bleach
- Professional dry cleaning
- Iron at a maximum sole-plate temperature of 150°C
- Do not tumble dry.

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Chest pockets with flaps and snap buttons for secure storage
- Bartack at all stress points
- Additional tool pocket at shoulder

COLORS

OCEAN BLUE - BEIGE - GREY

STANDARDS



PROBAN



SIZE RANGE (CM)

SIZE	Collar/ Neck Length	Length (from HPS)
S	36.00	74.50
M	38.50	76.50
L	41.00	78.50
XL	43.50	80.50
2XL	46.00	81.00
3XL	48.50	81.50
4XL	51.00	82.00
5XL	53.50	82.50

FR ANTISTATIC SHIRT

(RAKAPOSHI)

CATEGORY CAT 2 & ATPV
RATING 10 CAL



Fabric Specification

- **Weight:** 240GSM,
- **Weave:** 2/1Z Twill Ripstop, **Specialty:** Proban Fire Retardant & Antistatic Finish

Care Instructions

- Maximum washing temperature 60°C normal process
- Do not bleach
- Professional dry cleaning
- Iron at a maximum sole-plate temperature of 150°C
- Do not tumble dry.


Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Chest pockets with flaps and snap buttons for secure storage
- Bartack at all stress points
- Additional tool pocket at shoulder

COLORS

OCEAN BLUE - SAND - RED

STANDARDS



PROBAN



SIZE RANGE (CM)

SIZE	Collar/ Neck Length	Length (from HPS)
S	36.00	74.50
M	38.50	76.50
L	41.00	78.50
XL	43.50	80.50
2XL	46.00	81.00
3XL	48.50	81.50
4XL	51.00	82.00
5XL	53.50	82.50

FR STRETCH SHIRT

(TOUCH STONE STRETCH WITH & WITHOUT NEGA)

CATEGORY CAT 2 & ATPV
RATING 10 CAL



Fabric Specification

- **Weight:** 270GSM,
- **Specialty:** Proban Fire Retardant & Antistatic Finish

Care Instructions

- Maximum washing temperature 60°C normal process
- Do not bleach
- Professional dry cleaning
- Iron at a maximum sole-plate temperature of 150°C
- Do not tumble dry.


Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Chest pockets with flaps and snap buttons for secure storage
- Bartack at all stress points
- Additional tool pocket at shoulder

COLORS

OCEAN BLUE - SAND - RED

STANDARDS



PROBAN



SIZE RANGE (CM)

SIZE	Collar/ Neck Length	Length (from HPS)
S	36.00	74.50
M	38.50	76.50
L	41.00	78.50
XL	43.50	80.50
2XL	46.00	81.00
3XL	48.50	81.50
4XL	51.00	82.00
5XL	53.50	82.50

FR E-ARC SHIRT

(BIYAS)

CATEGORY CAT 2 & ATPV
RATING 12 CAL



Fabric Specification

- **Weight:** 288GSM,
- **Weave:** 3/1S Twill **Specialty:** Proban Fire Retardant & Antistatic Finish

Care Instructions

- Maximum washing temperature 60°C normal process
- Do not bleach
- Professional dry cleaning
- Iron at a maximum sole-plate temperature of 150°C
- Do not tumble dry.


Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Chest pockets with flaps and snap buttons for secure storage
- Bartack at all stress points
- Additional tool pocket at shoulder

COLORS

OCEAN BLUE - SAND - GREY

STANDARDS



PROBAN



SIZE RANGE (CM)

SIZE	Collar/ Neck Length	Length (from HPS)
S	36.00	74.50
M	38.50	76.50
L	41.00	78.50
XL	43.50	80.50
2XL	46.00	81.00
3XL	48.50	81.50
4XL	51.00	82.00
5XL	53.50	82.50

FR E-ARC SHIRT

(HUNZA)

CATEGORY CAT 2 & ATPV
RATING 16 CAL



Fabric Specification

- **Weight:** 375GSM,
- **Weave:** 3/1S Twill **Specialty:** Proban Fire Retardant & Antistatic Finish

Care Instructions

- Maximum washing temperature 60°C normal process
- Do not bleach
- Professional dry cleaning
- Iron at a maximum sole-plate temperature of 150°C
- Do not tumble dry.


Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Chest pockets with flaps and snap buttons for secure storage
- Bartack at all stress points
- Additional tool pocket at shoulder

COLORS

OCEAN BLUE - SAND

STANDARDS



PROBAN



SIZE RANGE (CM)

SIZE	Collar/ Neck Length	Length (from HPS)
S	36.00	74.50
M	38.50	76.50
L	41.00	78.50
XL	43.50	80.50
2XL	46.00	81.00
3XL	48.50	81.50
4XL	51.00	82.00
5XL	53.50	82.50

NON-FR EXECUTIVE SHIRT

(OXFORD YARN DYED)



Fabric Specification

- **Weight:** 190GSM,
- **Weave:** 2/1s Twill **Specialty:** Oxford yarn dyed

Care Instructions

- 🧺 Maximum washing temperature 40°C normal process
- ⚡ Do not bleach
- 🧼 Professional dry cleaning
- 🔥 Iron at a maximum sole-plate temperature of 150°C
- 🌀 Do not tumble dry.

Product Features

- Breathable, Soft to wear
- Fit to body and executive look
- Superior colorfastness
- 3% washing shrinkage

COLORS

SKY BLUE - GREY - WHITE

SIZE RANGE (CM)

SIZE	Collar/ Neck Length	Length (from HPS)
S	36.00	74.50
M	38.50	76.50
L	41.00	78.50
XL	43.50	80.50
2XL	46.00	81.00
3XL	48.50	81.50
4XL	51.00	82.00
5XL	53.50	82.50

FR PANTS / ALASKA

CATEGORY CAT 2 & ATPV
RATING 8 CAL



Fabric Specification

- **Weight:** 240GSM,
- **Weave:** 3/1S Twill **Specialty:** Proban Fire Retardant

Care Instructions

- Maximum washing temperature 60°C normal process
- Do not bleach
- Professional dry cleaning
- Iron at a maximum sole-plate temperature of 150°C
- Do not tumble dry.


Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Bone pockets at back
- Two Front side pockets

COLORS

DARK NAVY

STANDARDS



PROBAN



SIZE RANGE (CM)

Size	Waist (Half)	Inseam
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55.5	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81

IFR MERCK 190 PANTS

(74%META-ARRNID 5%PARA-ARMID 19%MOD 2%ANTI)

CAT 2 &
ATPV- 9.4



Fabric Specification

- **Weight:** 190GSM,
- **Weave:** 2/1S Twill **Specialty:** Inherent FR

Care Instructions

- Maximum washing temperature 60°C normal process
- Do not bleach
- Professional dry cleaning
- Iron at a maximum sole-plate temperature of 150°C
- Do not tumble dry.

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Bone pockets at back
- Two Front side pockets
- All Labelling NON FR
- FR THREAD, ZIPPER, BUTTONS

COLORS

DARK NAVY

STANDARDS



SIZE RANGE (CM)

Size	Waist (Half)	Inseam
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81

FR ARIZONA PANT

CAL 1



Fabric Specification

- **Weight:** 195GSM,
- **Weave:** 2/1S Twill **Specialty:** Proban Fire Retardant

Care Instructions

- ❌ Do not bleach
- Ⓟ Professional dry cleaning
- 🔧 Iron at a maximum sole-plate temperature of 150°C
- ❌ Do not tumble dry.

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Bone pockets at back
- Two Front side pockets

COLORS

DARK NAVY 

STANDARDS



PROBAN



SIZE RANGE (CM)

Size	Waist (Half)	Inseam
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55.5	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81

FR ROCCO PANTS

CATEGORY CAT 2 & ATPV
RATING 10 CAL



Fabric Specification

- **Weight:** 270GSM,
- **Weave:** 3/1S Twill **Specialty:** Proban Fire Retardant

Care Instructions

- 🔥 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- Ⓟ Professional dry cleaning
- 🔧 Iron at a maximum sole-plate temperature of 150°C
- ❌ Do not tumble dry.

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Bone pockets at back
- Two Front side pockets

COLORS

DARK NAVY – BLACK

STANDARDS



PROBAN



SIZE RANGE (CM)

Size	Waist (Half)	Inseam
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55.5	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81

FR STRETCH PANTS

(WITH & WITH/OUT NEGA)

CATEGORY CAT 2 & ATPV
RATING 10 CAL



Fabric Specification

- **Weight:** 275GSM,
- **Weave:** 3/1 S Twill **Specialty:** Proban Fire Retardant

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧺 Professional dry cleaning
- 🧺 Iron at a maximum sole-plate temperature of 150°C
- ❌ Do not tumble dry.

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Bone pockets at back
- Two Front side pockets

COLORS

DARK NAVY - BLACK

STANDARDS



PROBAN



SIZE RANGE (CM)

Size	Waist (Half)	Inseam
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55.5	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81

FR 12 CAL PANTS

(BIYAS)

CATEGORY CAT 2 & ATPV
RATING 12 CAL



Fabric Specification

- **Weight:** 288GSM,
- **Weave:** 3/1S Twill **Specialty:** Proban Fire Retardant & Antistatic Finish

Care Instructions

- Maximum washing temperature 60°C normal process
- Do not bleach
- Professional dry cleaning
- Iron at a maximum sole-plate temperature of 150°C
- Do not tumble dry.


Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Bone pockets at back
- Two Front side pockets

COLORS

DARK NAVY - BLACK

STANDARDS



PROBAN



SIZE RANGE (CM)

Size	Waist (Half)	Inseam
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81

FR CARGO TROUSERS

(ALASKA)

CATEGORY CAT 2 & ATPV
RATING 8 CAL



Fabric Specification

- **Weight:** 240GSM,
- **Weave:** 3/1S Twill **Specialty:** Proban Fire Retardant

Care Instructions

- Maximum washing temperature 60°C normal process
- Do not bleach
- Professional dry cleaning
- Iron at a maximum sole-plate temperature of 150°C
- Do not tumble dry.


Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Bone pockets at back
- Two Front side pockets

COLORS

DARK NAVY

STANDARDS



PROBAN



SIZE RANGE (CM)

SIZE	WAIST (HALF)	INSEAM
28	29.00	31.50
30	31.00	31.50
32	33.00	31.50
34	35.00	31.50
36	37.00	31.50
38	39.00	31.50
40	41.00	31.50
42	43.00	31.50

FR 16 CAL PANTS

(HUNZA)

CATEGORY CAT 2 & ATPV
RATING 16 CAL



Fabric Specification

- **Weight:** 375GSM,
- **Weave:** 3/1S Twill **Specialty:** Proban Fire Retardant & Antistatic Finish

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧺 Professional dry cleaning
- 🧺 Iron at a maximum sole-plate temperature of 150°C
- ❌ Do not tumble dry.


Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Bone pockets at back
- Two Front side pockets

COLORS

DARK NAVY - BLACK

STANDARDS



PROBAN



SIZE RANGE (CM)

Size	Waist (Half)	Inseam
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55.5	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81



EXCLUSIVE NEW PRODUCT FR DENIM PANTS

THE EVOLUTION OF FR DENIM

Today's workers are looking for the fits, features and finishes of retail-ready denim, but with proven Flame-Resistant protection.

Sarena is at their service!

FR DENIM PANTS WASHED PROGRAMME

CATEGORY CAT 2 & ATPV
RATING 12 CAL



Fabric Specification

- **Weight:** 320GSM,
- **Weave:** 3/1 Z Twill **Specialty:** Proban Fire Retardant

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ⚡ Do not bleach
- 🧼 Professional dry cleaning
- 🔥 Iron at a maximum sole-plate temperature of 150°C
- 🌀 Do not tumble dry.


Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Resilient to Heat
- Excellent performance with durability & thickness
- Fairly high energy exposure
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- 5 Pkt's products

COLORS

DARK NAVY - MID NAVY

STANDARDS



PROBAN



SIZE RANGE (CM)

SIZE	WAIST (HALF)	INSEAM
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55.5	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81

FR DENIM PANTS

(UN WASHED WITH REFLECTIVE TAPE)

CATEGORY CAT 2 & ATPV
RATING 12 CAL



Fabric Specification

- **Weight:** 320GSM,
- **Weave:** 2/1 Z Twill **Specialty:** Proban Fire Retardant

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧼 Professional dry cleaning
- 🔪 Iron at a maximum sole-plate temperature of 150°C
- ❌ Do not tumble dry.


Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Resilient to Heat
- Excellent performance with durability & thickness
- Fairly high energy exposure
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- 5 Pkt's products

COLORS

DARK NAVY - MID NAVY

STANDARDS



PROBAN



SIZE RANGE (CM)

SIZE	WAIST (HALF)	INSEAM
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55.5	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81



FR 230GSM REFLECTIVE COVERALL (SHAHEEN)



Fabric Specification

- **Weight:** 230GSM,
- **Weave:** 2/1S Twill **Specialty:** Proban Fire Retardant

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧼 Professional dry cleaning
- 🔪 Iron at a maximum sole-plate temperature of 150°C
- 🌀 Do not tumble dry.

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff/Extra side pockets with Snap buttons
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points

COLORS

LIGHT ROYAL BLUE NAVY DANGREE

STANDARDS



SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	149.50
M	61.00	69.00	153.50
L	63.00	71.00	157.50
XL	65.00	73.00	163.50
2XL	67.00	75.00	165.50
3XL	69.00	77.00	169.50
4XL	71.00	79.00	173.50
5XL	73.00	81.00	177.50
6XL	75.00	83.00	181.50

FR JUPITER COVERALL

8 CAL &
CAT 2



Fabric Specification

- **Weight:** 250GSM,
- **Weave:** 2/1S Twill **Specialty:** Proban Fire Retardant

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧺 Professional dry cleaning
- 🧊 Iron at a maximum sole-plate temperature of 150°C
- ❌ Do not tumble dry.

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff/Extra side pockets with Snap buttons
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points

COLORS

NAVY BLUE - ROYAL BLUE
RED - ORANGE - GREY
KHAKI - YELLOW
LIGHT ROYAL BLUE

STANDARDS



SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	149.50
M	61.00	69.00	153.50
L	63.00	71.00	157.50
XL	65.00	73.00	163.50
2XL	67.00	75.00	165.50
3XL	69.00	77.00	169.50
4XL	71.00	79.00	173.50
5XL	73.00	81.00	177.50
6XL	75.00	83.00	181.50

FR SAFE EXPRESS COVERALL

(BOLAN)

CATEGORY CAT 2 & ATPV
RATING 8.7 CAL



Fabric Specification

- **Weight:** 250GSM,
- **Weave:** 3/1S Twill **Specialty:** Proban Fire Retardant

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧼 Professional dry cleaning
- 🔪 Iron at a maximum sole-plate temperature of 150°C
- ❌ Do not tumble dry.


Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- Double 2.5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff/Extra side pockets with snap buttons
- Chest pockets with flaps and snap buttons for secure storage
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points

COLORS

NAVY BLUE - ROYAL BLUE
RED - ORANGE - GREY
KHAKI - YELLOW
LIGHT ROYAL BLUE

STANDARDS



PROBAN



SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	149.50
M	61.00	69.00	153.50
L	63.00	71.00	157.50
XL	65.00	73.00	163.50
2XL	67.00	75.00	165.50
3XL	69.00	77.00	169.50
4XL	71.00	79.00	173.50
5XL	73.00	81.00	177.50
6XL	75.00	83.00	181.50
7XL	77.00	85.00	185.50
8XL	79.00	87.00	189.50
9XL	81.00	89.00	193.50

FR ATTOCK COVERALL

(100% COTTON)



Fabric Specification

- **Weight:** 220GSM,
- **Weave:** 3/1S Twill **Specialty:** Proban Fire Retardant

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧼 Professional dry cleaning
- 🔪 Iron at a maximum sole-plate temperature of 150°C
- ❌ Do not tumble dry.

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- 2 inch Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff/Extra side pockets with snap buttons
- Chest pockets with flaps and snap buttons for secure storage
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points

COLORS

Light Royal Blue

STANDARDS



SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	149.50
M	61.00	69.00	153.50
L	63.00	71.00	157.50
XL	65.00	73.00	163.50
2XL	67.00	75.00	165.50
3XL	69.00	77.00	169.50
4XL	71.00	79.00	173.50
5XL	73.00	81.00	177.50
6XL	75.00	83.00	181.50
7XL	77.00	85.00	185.50
8XL	79.00	87.00	189.50
9XL	81.00	89.00	193.50

FR 10 CAL COVERALL (TOUCHSTONE)

CATEGORY CAT 2
& ATPV RATING 10 CAL



Fabric Specification

- **Weight:** 270GSM,
- **Weave:** 3/1S Twill **Specialty:** Proban Fire Retardant

Care Instructions

- Maximum washing temperature 60°C normal process
- Do not bleach
- Professional dry cleaning
- Do not tumble dry.


Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff/Extra side pockets with Snap buttons
- Chest pockets with flaps and snap buttons for secure storage
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points

COLORS

NAVY BLUE - ORANGE
GREEN - WHITE

STANDARDS



PROBAN



SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	149.50
M	61.00	69.00	153.50
L	63.00	71.00	157.50
XL	65.00	73.00	163.50
2XL	67.00	75.00	165.50
3XL	69.00	77.00	169.50
4XL	71.00	79.00	173.50
5XL	73.00	81.00	177.50
6XL	75.00	83.00	181.50
7XL	77.00	85.00	185.50
8XL	79.00	87.00	189.50
9XL	81.00	89.00	193.50

FR 12 CAL COVERALL (BIYAS) E-ARC

CATEGORY CAT 2 & ATPV
RATING 12 CAL



Fabric Specification

- **Weight:** 288GSM,
- **Weave:** 3/1S Twill
- **Specialty:** Proban Fire Retardant & Antistatic Finish

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧺 Professional dry cleaning
- ❌ Do not tumble dry.


Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Excellent colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- Double FR reflective tape 2.5CM with Minimum 330cd/lx.m2 reflection value
- Flexible adjustments at cuff with Velcro TAB
- Chest Pockets with flaps & Snap buttons for Secure Storage
- Double slider Metal Zipper at front Chest opening for easy to wear
- Bartack at all stress points/Extra side pockets with Snap buttons
- Triple Needle stitch at seam for lifetime Strength
- Extra Airy pockets at bottom in addition to side pockets

COLORS

ROYAL BLUE - NAVY BLUE

STANDARDS



PROBAN



SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	149.50
M	61.00	69.00	153.50
L	63.00	71.00	157.50
XL	65.00	73.00	163.50
2XL	67.00	75.00	165.50
3XL	69.00	77.00	169.50
4XL	71.00	79.00	173.50
5XL	73.00	81.00	177.50
6XL	75.00	83.00	181.50
7XL	77.00	85.00	185.50
8XL	79.00	87.00	189.50
9XL	81.00	89.00	193.50

FR K2 WELDING COVERALL

CATEGORY CAT 2
& ATPV RATING 13 CAL



Fabric Specification

- **Weight:** 350GSM,
- **Weave:** 3/1S Twill **Specialty:** Proban Fire Retardant

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- Ⓟ Professional dry cleaning
- 🔪 Iron at a maximum sole-plate temperature of 150°C
- 🚫 Do not tumble dry.

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Particular for welding job
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- Double 2.5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff/Extra side pockets with Snap buttons
- Chest pockets with flaps and snap buttons for secure storage
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points

COLORS

NAVY BLUE 

STANDARDS



SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	146.00
M	61.00	69.00	150.00
L	63.00	71.00	154.00
XL	65.00	73.00	158.00
2XL	67.00	75.00	162.00
3XL	69.00	77.00	166.00
4XL	71.00	79.00	170.00
5XL	73.00	81.00	174.00
6XL	75.00	83.00	178.00

FR CHEMICAL PROTECTION COVERALL

CATEGORY CAT 2
& ATPV RATING 13 CAL



Fabric Specification

- **Weight:** 350GSM,
- **Weave:** 3/1S Twill **Specialty:** Proban Fire Retardant

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧼 Professional dry cleaning
- 🔪 Iron at a maximum sole-plate temperature of 150°C
- ❌ Do not tumble dry.

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Particular for welding job
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- Double 2.5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff
- Chest pockets with flaps and snap buttons for secure storage
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points

COLORS

NAVY BLUE

STANDARDS



SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	146.00
M	61.00	69.00	150.00
L	63.00	71.00	154.00
XL	65.00	73.00	158.00
2XL	67.00	75.00	162.00
3XL	69.00	77.00	166.00
4XL	71.00	79.00	170.00
5XL	73.00	81.00	174.00
6XL	75.00	83.00	178.00

FR SUMMER COVERALL ANTI-STATIC

CATEGORY CAT 2 & ATPV
RATING 9.1 CAL



Fabric Specification

- **Fabric:** 99% Cotton 01% Antistatic
- **Weight:** 210+/-5% GSM
- **Weave:** 2/1S Twill **Specialty:** Proban Fire Retardant

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- ☀️ Dry normal low heat
- 🧺 Maximum washing temperature 50 degree at normal washing
- ❌ Do not tumble dry

Product Features

- Lightweight for enhanced wearer comfort
- Protection against radiant, convective and contact heat
- Rule pocket
- Two back patch pockets
- Durable, strong and long lasting brass zip
- Action back for extra freedom of movement
- Hook and loop cuffs for a secure fit
- Sleeve pocket
- Available in sizes from XS to 4XL
- 10 pockets for ample storage
- Two tier knee pad pockets allowing two positioning options

COLORS

NAVY BLUE - KHAKI
ROYAL BLUE - GREY - RED
ORANGE

STANDARDS



PROBAN



SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	149.50
M	61.00	69.00	153.50
L	63.00	71.00	157.50
XL	65.00	73.00	163.50
2XL	67.00	75.00	165.50
3XL	69.00	77.00	169.50
4XL	71.00	79.00	173.50
5XL	73.00	81.00	177.50
6XL	75.00	83.00	181.50
7XL	77.00	85.00	185.50
8XL	79.00	87.00	189.50
9XL	81.00	89.00	193.50

NON-FR 200 GSM POLY COTTON COVERALL W/ REFLECTIVE



Fabric Specification

- **Weight:** 220GSM,
- **Weave:** 2/1S Twill

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧼 Professional dry cleaning
- ❌ Do not tumble dry.

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points

COLORS

ROYAL BLUE

SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	57.00	65.00	142.00
M	59.00	67.00	146.00
L	61.00	69.00	150.00
XL	63.00	71.00	154.00
2XL	65.00	73.00	158.00
3XL	67.00	75.00	162.00
4XL	69.00	77.00	166.00
5XL	71.00	79.00	170.00

NON-FR 220 GSM REFLECTIVE COVERALL



Fabric Specification

- **Weight:** 220GSM,
- **Weave:** 2/1S Twill

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧼 Professional dry cleaning
- ❌ Do not tumble dry.

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points

COLORS

NAVY BLUE - KHAKI
ROYAL BLUE - GREY - RED
ORANGE - GREEN

SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	57.00	65.00	142.00
M	59.00	67.00	146.00
L	61.00	69.00	150.00
XL	63.00	71.00	154.00
2XL	65.00	73.00	158.00
3XL	67.00	75.00	162.00
4XL	69.00	77.00	166.00
5XL	71.00	79.00	170.00

NON-FR 220 GSM TOUCH STONE COVERALL W/ REFLECTIVE (100% COTTON)



Fabric Specification

- **Weight:** 220GSM,
- **Weave:** 2/1S Twill

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧼 Professional dry cleaning
- ❌ Do not tumble dry.

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points

COLORS

LIGHT ROYAL BLUE

SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	57.00	65.00	142.00
M	59.00	67.00	146.00
L	61.00	69.00	150.00
XL	63.00	71.00	154.00
2XL	65.00	73.00	158.00
3XL	67.00	75.00	162.00
4XL	69.00	77.00	166.00
5XL	71.00	79.00	170.00

NON-FR COVERALL 280 GSM WITH REFLECTIVE TAPE (100% COTTON)



Fabric Specification

- **Weight:** 280 GSM,
- **Weave:** 3/1S Twill

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧼 Professional dry cleaning
- ❌ Do not tumble dry.

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points

COLORS

NAVY BLUE - RED
ROYAL BLUE ORANGE

SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	57.00	65.00	142.00
M	59.00	67.00	146.00
L	61.00	69.00	150.00
XL	63.00	71.00	154.00
2XL	65.00	73.00	158.00
3XL	67.00	75.00	162.00
4XL	69.00	77.00	166.00
5XL	71.00	79.00	170.00

NON-FR COVERALL 300 GSM WITH REFLECTIVE TAPE (100% COTTON)



Fabric Specification

- **Weight:** 300 GSM,
- **Weave:** 3/1S Twill

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧼 Professional dry cleaning
- ❌ Do not tumble dry.

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points

COLORS

NAVY BLUE - RED
ROYAL BLUE ORANGE

SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	57.00	65.00	142.00
M	59.00	67.00	146.00
L	61.00	69.00	150.00
XL	63.00	71.00	154.00
2XL	65.00	73.00	158.00
3XL	67.00	75.00	162.00
4XL	69.00	77.00	166.00
5XL	71.00	79.00	170.00

SAFETY NESTS COVERALL – SN 32 (100% COTTON)



Fabric Specification

- **Weight:** 200 GSM,
- **Weave:** 2/1S Twill

Care Instructions

- 🔥 60° Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- Ⓟ Professional dry cleaning
- ❌ Do not tumble dry.

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points

COLORS



SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	50	72	152
M	52	74	155
L	54	76	158
XL	56	78	161
2XL	58	80	164
3XL	60	82	167
4XL	62	84	170
5XL	64	86	173
6XL	66	88	176
7XL	68	90	179
8XL	70	92	182
9XL	72	94	182

NON FR COVERALL ID- 1176 A (100% COTTON)



Fabric Specification

- **Weight:** 280 GSM,
- **Weave:** 3/1S Twill

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ⊗ Do not bleach
- Ⓟ Professional dry cleaning
- ⊗ Do not tumble dry.

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points

COLORS



SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	149.50
M	61.00	69.00	153.50
L	63.00	71.00	157.50
XL	65.00	73.00	163.50
2XL	67.00	75.00	165.50
3XL	69.00	77.00	169.50
4XL	71.00	79.00	173.50
5XL	73.00	81.00	177.50
6XL	75.00	83.00	181.50
7XL	77.00	85.00	185.50
8XL	79.00	87.00	189.50
9XL	81.00	89.00	193.50

NON FR COVERALL ID- 1176 A (100% COTTON)



Fabric Specification

- **Weight:** 240 GSM,
- **Weave:** 3/1S Twill

Care Instructions

- 🔥 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- Ⓟ Professional dry cleaning
- ❌ Do not tumble dry.

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points

COLORS



SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	149.50
M	61.00	69.00	153.50
L	63.00	71.00	157.50
XL	65.00	73.00	163.50
2XL	67.00	75.00	165.50
3XL	69.00	77.00	169.50
4XL	71.00	79.00	173.50
5XL	73.00	81.00	177.50
6XL	75.00	83.00	181.50
7XL	77.00	85.00	185.50
8XL	79.00	87.00	189.50
9XL	81.00	89.00	193.50

NON FR JAHRAF COVERALL ID- 1174 (100% COTTON)



Fabric Specification

- **Weight:** 240 GSM,
- **Weave:** 3/1S Twill

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧼 Professional dry cleaning
- ❌ Do not tumble dry.

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points

COLORS



SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	149.50
M	61.00	69.00	153.50
L	63.00	71.00	157.50
XL	65.00	73.00	163.50
2XL	67.00	75.00	165.50
3XL	69.00	77.00	169.50
4XL	71.00	79.00	173.50
5XL	73.00	81.00	177.50
6XL	75.00	83.00	181.50
7XL	77.00	85.00	185.50
8XL	79.00	87.00	189.50
9XL	81.00	89.00	193.50

NON FR SAFEX COVERALL – ID 1145 (100% COTTON)



Fabric Specification

- **Weight:** 200 GSM,
- **Weave:** 3/1S Twill

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧼 Professional dry cleaning
- ❌ Do not tumble dry.

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points

COLORS



SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	50	72	152
M	52	74	155
L	54	76	158
XL	56	78	161
2XL	58	80	164
3XL	60	82	167
4XL	62	84	170
5XL	64	86	173
6XL	66	88	176
7XL	68	90	179
8XL	70	92	182
9XL	72	94	182

NON FR SAFEX COVERALL – ID 1173 (100% COTTON)



Fabric Specification

- **Weight:** 280 GSM,
- **Weave:** 3/1S Twill

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- Ⓟ Professional dry cleaning
- ❌ Do not tumble dry.

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points

COLORS



SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	50	72	152
M	52	74	155
L	54	76	158
XL	56	78	161
2XL	58	80	164
3XL	60	82	167
4XL	62	84	170
5XL	64	86	173
6XL	66	88	176
7XL	68	90	179
8XL	70	92	182
9XL	72	94	182

IFR LENZWING COVERALL – SI 1183

60% IFR VISCOSE, 38% META ARAMID & 2% ANTISTATIC



Fabric Specification

- **Weight:** 155 GSM,
- **Weave:** 2/1S Twill

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧼 Professional dry cleaning
- ❌ Do not tumble dry.

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Excellent colorfastness
- 3% washing shrinkage
- Inherent FR Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting FR reflective tape 2.5CM with Minimum 330cd/lx.m2 reflection value
- Flexible adjustments at cuff with Snap Buttons Chest Pockets with flaps & Snap buttons for Secure
- FR Sewing thread & Snap Button
- FR Double slider Metal Zipper at front Chest opening for easy to wear
- Bartack at all stress point

COLORS

NAVY BLUE - GREY
ROYAL BLUE

SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	50	72	152
M	52	74	155
L	54	76	158
XL	56	78	161
2XL	58	80	164
3XL	60	82	167
4XL	62	84	170
5XL	64	86	173
6XL	66	88	176
7XL	68	90	179
8XL	70	92	182
9XL	72	94	182

JUPITER 2 PC COVERALL (JUPITER)



Fabric Specification

- **Weight:** 250GSM,
- **Weave:** 3/1S Twill **Specialty:** Proban Fire Retardant

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧼 Professional dry cleaning
- ❌ Do not tumble dry.

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Bartack at all stress points

COLORS

NAVY BLUE - ROYAL BLUE
RED - ORANGE - GREY
KHAKI - YELLOW
LIGHT ROYAL BLUE

STANDARDS



SIZE RANGE (CM)

SIZE	PANT	SHIRT
	WAIST (HALF)	COLLAR/NECK LENGTH
S	43.00	42.00
M	45.00	43.00
L	47.00	44.00
XL	49.00	45.00
2XL	51.00	46.00
3XL	53.00	47.00
4XL	55.00	48.00
5XL	57.00	49.00
6XL	59.00	50.00
7XL	61.00	51.00
8XL	63.0	52.00
9XL	65.00	53.00
10XL	67.00	54.00



NON-FR REFLECTIVE PANTS & SHIRT



Fabric Specification

- **Weight:** 220GSM,
- **Weave:** 2/1S Twill

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- Ⓟ Professional dry cleaning
- 🌀 Do not tumble dry.

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Bartack at all stress points

COLORS

ROYAL BLUE - NAVY BLUE

SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	57.00	65.00	142.00
M	59.00	67.00	146.00
L	61.00	69.00	150.00
XL	63.00	71.00	154.00
2XL	65.00	73.00	158.00
3XL	67.00	75.00	162.00
4XL	69.00	77.00	166.00
5XL	71.00	79.00	170.00

AMAROMA PANTS & SHIRTS



Fabric Specification

- **Weight:** 230GSM,
- **Weave:** 3/1 S Twill

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧼 Professional dry cleaning
- ❌ Do not tumble dry.

Product Features

- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff
- Double layer fabric making
- Additional tool pockets inner side.
- High quality Vislon 2 WAY Zipper at front
- Chest Pockets with flaps and snap buttons.
- Bartack at all stress points

COLORS

HI VIS ORANGE HI VIS YELLOW

SIZE RANGE (CM)

	PANT	SHIRT
SIZE	WAIST (HALF)	COLLAR/NECK LENGTH
S	43.00	42.00
M	45.00	43.00
L	47.00	44.00
XL	49.00	45.00
2XL	51.00	46.00
3XL	53.00	47.00
4XL	55.00	48.00
5XL	57.00	49.00
6XL	59.00	50.00
7XL	61.00	51.00
8XL	63.00	52.00
9XL	65.00	53.00
10XL	67.00	54.00

FR 230GSM- 2 PC COVERALL (SHAHEEN)



Fabric Specification

- **Weight:** 230GSM,
- **Weave:** 2/1S Twill **Specialty:** Proban Fire Retardant

Care Instructions

- Maximum washing temperature 60°C normal process
- Do not bleach
- Professional dry cleaning
- Do not tumble dry.

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Bartack at all stress points

COLORS

NAVY DANGREE

EN STANDARDS



PROBAN



SIZE RANGE (CM)

	PANT	SHIRT
SIZE	WAIST (HALF)	COLLAR/NECK LENGTH
S	43.00	42.00
M	45.00	43.00
L	47.00	44.00
XL	49.00	45.00
2XL	51.00	46.00
3XL	53.00	47.00
4XL	55.00	48.00
5XL	57.00	49.00
6XL	59.00	50.00
7XL	61.00	51.00
8XL	63.0	52.00
9XL	65.00	53.00
10XL	67.00	54.00

FR 2 PC SAFE EXPRESS PANTS & SHIRTS (BOLAN)

CATEGORY CAT 2 & ATPV
RATING 8.7 CAL



Fabric Specification

- **Weight:** 250GSM,
- **Weave:** 3/1S Twill **Specialty:** Proban Fire Retardant

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧼 Professional dry cleaning
- ❌ Do not tumble dry.


Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Chest Pockets with flaps and snap buttons.
- Bartack at all stress points

COLORS

NAVY BLUE - ROYAL BLUE
RED - ORANGE - GREY - KHAKI

STANDARDS



PROBAN



SIZE RANGE (CM)

	PANT	SHIRT
SIZE	WAIST (HALF)	COLLAR/NECK LENGTH
S	43.00	42.00
M	45.00	43.00
L	47.00	44.00
XL	49.00	45.00
2XL	51.00	46.00
3XL	53.00	47.00
4XL	55.00	48.00
5XL	57.00	49.00
6XL	59.00	50.00
7XL	61.00	51.00
8XL	63.00	52.00
9XL	65.00	53.00

FR FORGE 2 PC COVERALL PANTS & SHIRTS

CATEGORY CAT 2 & ATPV
RATING 8.7 CAL



Fabric Specification

- **Weight:** 280GSM,
- **Weave:** 3/1S Twill **Specialty:** Proban Fire Retardant

Care Instructions

- Maximum washing temperature 60°C normal process
- Do not bleach
- Professional dry cleaning
- Do not tumble dry.


Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Elasticated waist for close fitting
- Bartack at all stress points
- 2.5CM Reflective Tape with 330cd/lx.m2 reflection value
- Chest Pockets with flaps and Plastic buttons at front placket

COLORS

NAVY BLUE - ROYAL BLUE
RED - ORANGE - GREY - KHAKI

STANDARDS



PROBAN



SIZE RANGE (CM)

SIZE	PANT	SHIRT
	WAIST (HALF)	COLLAR/NECK LENGTH
S	43.00	42.00
M	45.00	43.00
L	47.00	44.00
XL	49.00	45.00
2XL	51.00	46.00
3XL	53.00	47.00
4XL	55.00	48.00
5XL	57.00	49.00
6XL	59.00	50.00
7XL	61.00	51.00
8XL	63.0	52.00
9XL	65.00	53.00

FR 2 PC 12 CAL PANTS & SHIRTS

(BIYAS) E-ARC

CATEGORY CAT 2 & ATPV
RATING 12 CAL



Fabric Specification

- **Weight:** 288GSM,
- **Weave:** 3/1S Twill **Specialty:** Proban Fire Retardant & Antistatic Finish

Care Instructions

- ☞ Maximum washing temperature 60°C normal process
- ☞ Do not bleach
- Ⓟ Professional dry cleaning
- ☞ Iron at a maximum sole-plate temperature of 150°C
- ☞ Do not tumble dry.


Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Excellent colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Elasticated waist for close fitting at Pant
- Double reflective tape 2.5CM with Minimum 330cd/lx.m2 reflection value
- Chest Pockets with flaps & Snap buttons for Secure Storage
- Bartack at all stress points

COLORS

ROYAL BLUE - NAVY BLUE

EN STANDARDS



PROBAN



SIZE RANGE (CM)

SIZE	PANT		SHIRT	
	SIZE	WAIST (HALF)	COLLAR/NECK LENGTH	
S		43.00		42.00
M		45.00		43.00
L		47.00		44.00
XL		49.00		45.00
2XL		51.00		46.00
3XL		53.00		47.00
4XL		55.00		48.00
5XL		57.00		49.00
6XL		59.00		50.00
7XL		61.00		51.00
8XL		63.0		52.00
9XL		65.00		53.00
10XL		67.00		54.00

FR 13 CAL SPLASH GUARD PANTS & SHIRTS (INDUS)

CATEGORY CAT 2
& ATPV RATING 13 CAL



Fabric Specification

- **Weight:** 345GSM,
- **Weave:** 3/1S Twill **Specialty:** Proban Fire Retardant

Care Instructions

- Maximum washing temperature 60°C normal process
- Do not bleach
- Professional dry cleaning
- Do not tumble dry.


Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Elasticated waist for close fitting
- Additional Adjustment for fitting at cuff
- Bartack at all stress points
- Special coated buttons at front

COLORS

ROYAL BLUE - NAVY BLUE

STANDARDS



PROBAN



SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	149.50
M	61.00	69.00	153.50
L	63.00	71.00	157.50
XL	65.00	73.00	163.50
2XL	67.00	75.00	165.50
3XL	69.00	77.00	169.50
4XL	71.00	79.00	173.50
5XL	73.00	81.00	177.50
6XL	75.00	83.00	181.50
7XL	77.00	85.00	185.50
8XL	79.00	87.00	189.50
9XL	81.00	89.00	193.50

NON FR WEM 2 PCS (PANT & SHIRT)

100% CTN



Fabric Specification

- **Weight:** 200 GSM,
- **Weave:** 2/1S Twill

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧺 Professional dry cleaning
- ❌ Do not tumble dry.

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- 2.5 CM Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Elasticated waist for Close fitting.
- Chest Pockets with flaps & Plastic buttons
- Bartack at all stress point

COLORS

NAVY BLUE - ROYAL BLUE
RED - ORANGE - KHAKI

SIZE RANGE (CM)

SIZE	PANT		SHIRT	
	WAIST (HALF)		COLLAR/NECK LENGTH	
S	43.00		42.00	
M	45.00		43.00	
L	47.00		44.00	
XL	49.00		45.00	
2XL	51.00		46.00	
3XL	53.00		47.00	
4XL	55.00		48.00	
5XL	57.00		49.00	
6XL	59.00		50.00	
7XL	61.00		51.00	
8XL	63.00		52.00	
9XL	65.00		53.00	

NON FR SAFEX 2 PCS (PANT & SHIRT)

100% CTN



Fabric Specification

- **Weight:** 200 GSM,
- **Weave:** 2/1S Twill

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧼 Professional dry cleaning
- ❌ Do not tumble dry.

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- 2.5 CM Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Elasticated waist for Close fitting.
- Chest Pockets with flaps & Plastic buttons
- Bartack at all stress point

COLORS

NAVY BLUE - ROYAL BLUE
RED - ORANGE - KHAKI

SIZE RANGE (CM)

SIZE	PANT		SHIRT	
	WAIST (HALF)		COLLAR/NECK LENGTH	
S	43.00		42.00	
M	45.00		43.00	
L	47.00		44.00	
XL	49.00		45.00	
2XL	51.00		46.00	
3XL	53.00		47.00	
4XL	55.00		48.00	
5XL	57.00		49.00	
6XL	59.00		50.00	
7XL	61.00		51.00	
8XL	63.00		52.00	
9XL	65.00		53.00	

NON FR ZIPED 2 PCS (PANT & SHIRT)

100% CTN



Fabric Specification

- **Weight:** 200 GSM,
- **Weave:** 2/1S Twill

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧺 Professional dry cleaning
- ❌ Do not tumble dry.

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- 2.5 CM Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Elasticated waist for Close fitting.
- Chest Pockets with flaps & Plastic buttons
- Bartack at all stress point

COLORS

NAVY BLUE - ROYAL BLUE
RED - ORANGE - KHAKI

SIZE RANGE (CM)

SIZE	PANT		SHIRT	
	WAIST (HALF)		COLLAR/NECK LENGTH	
S	43.00		42.00	
M	45.00		43.00	
L	47.00		44.00	
XL	49.00		45.00	
2XL	51.00		46.00	
3XL	53.00		47.00	
4XL	55.00		48.00	
5XL	57.00		49.00	
6XL	59.00		50.00	
7XL	61.00		51.00	
8XL	63.00		52.00	
9XL	65.00		53.00	

NON FR WEM 2 PCS (PANT & SHIRT)

PC 65:35



Fabric Specification

- **Weight:** 200 GSM,
- **Weave:** 2/1S Twill

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧺 Professional dry cleaning
- ❌ Do not tumble dry.

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- 2.5 CM Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Elasticated waist for Close fitting.
- Chest Pockets with flaps & Plastic buttons
- Bartack at all stress point

COLORS

NAVY BLUE - ROYAL BLUE
RED - ORANGE - KHAKI

SIZE RANGE (CM)

SIZE	PANT		SHIRT	
	WAIST (HALF)		COLLAR/NECK LENGTH	
S	43.00		42.00	
M	45.00		43.00	
L	47.00		44.00	
XL	49.00		45.00	
2XL	51.00		46.00	
3XL	53.00		47.00	
4XL	55.00		48.00	
5XL	57.00		49.00	
6XL	59.00		50.00	
7XL	61.00		51.00	
8XL	63.00		52.00	
9XL	65.00		53.00	

NON FR OLYMPIC COVERALL ID- 1177

100% CTN



Fabric Specification

- **Weight:** 240 GSM,
- **Weave:** 3/1S Twill

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧺 Professional dry cleaning
- ❌ Do not tumble dry.

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Elasticated waist for close fitting
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress point

COLORS

NAVY BLUE - ROYAL BLUE
RED - ORANGE - KHAKI

SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	57.00	65.00	142.00
M	59.00	67.00	146.00
L	61.00	69.00	150.00
XL	63.00	71.00	154.00
2XL	65.00	73.00	158.00
3XL	67.00	75.00	162.00
4XL	69.00	77.00	166.00
5XL	71.00	79.00	170.00

INHERENT FLAME RETARDANT (IFR)

- PANTS
- SHIRTS
- COVERALLS
- 2 PC COVERALLS
(PANTS & SHIRTS)

High Thermal
Protective Performance (TPP)

INHERENT/FLAME RETARDANT COVERALL (ROCK COVERALL)

CATEGORY CAT 1
& ATPV RATING 4.1 CAL



Fabric Specification

- **Weight:** 150GSM,
- **Weave:** 1/1 Twill **Specialty:** Inherent Fire Retardant(IFR) & Antistatic Finish



Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧼 Professional dry cleaning
- 🔪 Iron at a maximum sole-plate temperature of 150°C
- ❌ Do not tumble dry.


Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Excellent colorfastness. 3% washing shrinkage
- Inherent FR Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- FR reflective tape 2.5CM with Minimum 330cd/lx.m2 reflection value
- Flexible adjustments at cuff with Snap Buttons
- Chest Pockets with flaps & Snap buttons for Secure Storage
- Permanent sewn crease line at front Panel
- Back pockets(One is with Flap & snap button)
- FR Sewing thread & Snap Button
- FR Double slider Metal Zipper at front Chest opening for easy to wear
- Bartack at all stress points

COLORS

LIGHT ROYAL BLUE 
ROYAL BLUE 

STANDARDS



SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	149.50
M	61.00	69.00	153.50
L	63.00	71.00	157.50
XL	65.00	73.00	163.50
2XL	67.00	75.00	165.50
3XL	69.00	77.00	169.50
4XL	71.00	79.00	173.50
5XL	73.00	81.00	177.50
6XL	75.00	83.00	181.50
7XL	77.00	85.00	185.50
8XL	79.00	87.00	189.50
9XL	81.00	89.00	193.50

IFR MERCK 190 COVERALL

CATEGORY CAT 2
APTV 9.4



Fabric Specification

- **Weight:** 190GSM,
- **Weave:** 2/1S Twill **Specialty:** Proban Fire Retardant

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧼 Professional dry cleaning
- 🔪 Iron at a maximum sole-plate temperature of 150°C
- ❌ Do not tumble dry.

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Excellent colorfastness. 3% washing shrinkage
- Inherent FR Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- FR reflective tape 2.5CM with Minimum 330cd/lx.m2 reflection value
- Flexible adjustments at cuff with Snap Buttons
- Chest Pockets with flaps & Snap buttons for Secure Storage
- Permanent sewn crease line at front Panel
- Back pockets(One is with Flap & snap button)
- FR Sewing thread & Snap Button
- FR Double slider Metal Zipper at front Chest opening for easy to wear
- Bartack at all stress points

COLORS

DARK NAVY 

STANDARDS



SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	149.50
M	61.00	69.00	153.50
L	63.00	71.00	157.50
XL	65.00	73.00	163.50
2XL	67.00	75.00	165.50
3XL	69.00	77.00	169.50
4XL	71.00	79.00	173.50
5XL	73.00	81.00	177.50
6XL	75.00	83.00	181.50
7XL	77.00	85.00	185.50
8XL	79.00	87.00	189.50
9XL	81.00	89.00	193.50



FR WINTER JACKET (ALASKA)

CATEGORY CAT 2
& ATPV RATING 8 CAL



Fabric Specification

- **Weight:** 250GSM,
- **Weave:** 3/1S Twill **Specialty:** Proban Fire Retardant

Care Instructions

- Maximum washing temperature 60°C normal process
- Do not bleach
- Professional dry cleaning
- Iron at a maximum sole-plate temperature of 150°C
- Do not tumble dry.


Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Quilting inside to warm the body
- 2.5cm FR Reflective Tape At shoulder & Arms
- High quality Vislon Zipper at front
- Front Pockets with Flap
- Two Front side pockets

COLORS

ROYAL BLUE - DARK NAVY

STANDARDS



PROBAN



SIZE RANGE (CM)

SIZE	CHEST	LENGTH HPS-BTM
S	62.00	70.00
M	64.00	72.00
L	66.00	74.00
XL	68.00	76.00
2XL	70.00	78.00
3XL	72.00	80.00
4XL	74.00	82.00
5XL	76.00	84.00

FR WINTER JACKET

100% COTTON (BOLAN)

CATEGORY CAT 2
& ATPV RATING 8 CAL



Fabric Specification

- **Weight:** 240GSM,
- **Weave:** 3/1S Twill **Specialty:** Proban Fire Retardant

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧼 Professional dry cleaning
- 🔪 Iron at a maximum sole-plate temperature of 150°C
- ❌ Do not tumble dry.


Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Quilting inside to warm the body
- 2.5cm FR Reflective Tape At shoulder & Arms
- High quality Vislon Zipper at front
- Front Pockets with Flap
- Two Front side pockets

COLORS

ROYAL BLUE - DARK NAVY

STANDARDS



PROBAN



SIZE RANGE (CM)

SIZE	CHEST	LENGTH HPS-BTM
S	62.00	70.00
M	64.00	72.00
L	66.00	74.00
XL	68.00	76.00
2XL	70.00	78.00
3XL	72.00	80.00
4XL	74.00	82.00
5XL	76.00	84.00

FR WINTER JACKET

100% COTTON (BOLAN)

CATEGORY CAT 2
& ATPV RATING 8 CAL



Fabric Specification

- **Weight:** 240GSM,
- **Weave:** 3/1S Twill **Specialty:** Proban Fire Retardant

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧼 Professional dry cleaning
- 🔪 Iron at a maximum sole-plate temperature of 150°C
- ❌ Do not tumble dry.


Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Quilting inside to warm the body
- 2.5cm FR Reflective Tape At shoulder & Arms
- High quality Vislon Zipper at front
- Front Pockets with Flap
- Two Front side pockets

COLORS

ROYAL BLUE - DARK NAVY

STANDARDS



PROBAN



SIZE RANGE (CM)

SIZE	CHEST	LENGTH HPS-BTM
S	62.00	70.00
M	64.00	72.00
L	66.00	74.00
XL	68.00	76.00
2XL	70.00	78.00
3XL	72.00	80.00
4XL	74.00	82.00
5XL	76.00	84.00

NON FR WINTER JACKET

(PC 65:35)



Fabric Specification

- **Weight:** 250GSM,
- **Weave:** 3/1S Twill

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧼 Professional dry cleaning
- ❌ Do not tumble dry.

Product Features

- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Quilting inside to warm the body
- Reflective tape binding at front
- High quality Vislon Zipper at front
- Two Front side pockets

COLORS

DARK NAVY

SIZE RANGE (CM)

SIZE	CHEST	LENGTH HPS-BTM
S	62.00	70.00
M	64.00	72.00
L	66.00	74.00
XL	68.00	76.00
2XL	70.00	78.00
3XL	72.00	80.00
4XL	74.00	82.00
5XL	76.00	84.00

NON FR WINTER JACKET

(PC 65:35)



Fabric Specification

- **Weight:** 250GSM,
- **Weave:** 3/1S Twill

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧼 Professional dry cleaning
- ❌ Do not tumble dry.

Product Features

- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Quilting inside to warm the body
- Reflective tape binding at front
- High quality Vislon Zipper at front
- Two Front side pockets

COLORS

DARK NAVY

SIZE RANGE (CM)

SIZE	CHEST	LENGTH HPS-BTM
S	62.00	70.00
M	64.00	72.00
L	66.00	74.00
XL	68.00	76.00
2XL	70.00	78.00
3XL	72.00	80.00
4XL	74.00	82.00
5XL	76.00	84.00

INNEX JACKET (NON FR)

(95% POLYESTER 5% ELASTAN)



Fabric Specification

- **Weight:** 320 GSM
- **Weave:** 2/1 Twill

Care Instructions

- Maximum washing temperature 60°C normal process
- Do not bleach
- Professional dry cleaning
- Iron at a maximum sole-plate temperature of 150°C
- Do not tumble dry.

Product Features

- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Mesh inside to warm the body
- High quality Vislon Zipper at front
- 2 Side pockets with zip,
- Adjustable bottom with internal drawstring.
- Elastic tube with a diameter of 3 mm.
- Apply Plastic stoppers for adjustment and locking
- Detachable Hood with zip

COLORS

NAVY BLUE

SIZE RANGE (CM)

SIZE	CHEST	LENGTH
XS	48	70
S	51	70
M	54	72
L	57	72
XL	60	74
2XL	63	74
3XL	66	76
4XL	69	76

FR WINTER JACKET W/HOODY

(ROCCO/ALASKA 270)

CATEGORY CAT 2
& ATPV RATING 10 CAL



Fabric Specification

- **Weight:** 270GSM,
- **Weave:** 3/1S Twill **Specialty:** Proban Fire Retardant

Care Instructions

- Maximum washing temperature 60°C normal process
- Do not bleach
- Professional dry cleaning
- Iron at a maximum sole-plate temperature of 150°C
- Do not tumble dry.


Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Quilting inside to warm the body
- 2.5cm FR Reflective Tape At shoulder & Arms
- High quality Vislon Zipper at front
- Zip at Back Neck for Hood
- Two Front side pockets

COLORS

DARK NAVY

STANDARDS



PROBAN



SIZE RANGE (CM)

SIZE	CHEST	LENGTH HPS-BTM
S	62.00	70.00
M	64.00	72.00
L	66.00	74.00
XL	68.00	76.00
2XL	70.00	78.00
3XL	72.00	80.00
4XL	74.00	82.00
5XL	76.00	84.00



SAFETY VESTS

(FR & NON-FR TWILLS)

CATEGORY CAT 1&2
& ATPV RATING
8CAL-13CAL



Fabric Specification

- **Weight:** 200GSM-270gsm,
- **Weave:** 2/1 & 3/1S Twill, **Speciality:** Proban Fire Retardant

Care Instructions

- Maximum washing temperature 60°C normal process
- Do not bleach
- Professional dry cleaning
- Iron at a maximum sole-plate temperature of 150°C
- Do not tumble dry.


Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Cover cloths from stains
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Zipper at front – High quality of Vislon

COLORS



STANDARDS



PROBAN



SIZE RANGE (CM)

SIZE	CHEST	LENGTH HPS-BTM
S	58.00	65.00
M	60.00	67.00
L	62.00	68.00
XL	64.00	69.00
2XL	66.00	70.00
3XL	68.00	71.00
4XL	70.00	72.00
5XL	72.00	73.00

APRONS

(FR, NON-FR, DENIMS & TWILLS)

CATEGORY CAT 1&2
& ATPV RATING
8CAL-13CAL



Fabric Specification

- **Weight:** 200GSM-270gsm,
- **Weave:** 2/1 & 3/1S Twill, **Speciality:** Proban Fire Retardant

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- Ⓟ Professional dry cleaning
- 🔪 Iron at a maximum sole-plate temperature of 150°C
- ❌ Do not tumble dry.


Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Cover cloths from stains
- Metal Rivets upon requirement

COLORS

ROYAL BLUE	
DARK NAVY	
GREEN	
RED	
GREY	
KHAKI	
DENIM WASH	

STANDARDS



PROBAN



SIZE RANGE (CM)

SIZE	CHEST	LENGTH HPS-BTM
S	24.00	31.00
M	25.00	32.00
L	26.00	33.00
XL	27.00	34.00
2XL	28.00	35.00
3XL	29.00	36.00
4XL	30.00	37.00
5XL	31.00	38.00

LAB COATS

(FR, NON-FR & TWILLS)

CATEGORY CAT 1&2
& ATPV RATING
8CAL-13CAL



Fabric Specification

- **Weight:** 200GSM-270gsm,
- **Weave:** 2/1 & 3/1S Twill, **Speciality:** Proban Fire Retardant

Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧼 Professional dry cleaning
- 📡 Iron at a maximum sole-plate temperature of 150°C
- ❌ Do not tumble dry.

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Cover cloths from stains
- Front two pocket bags for Doctors own personal material to keep.

COLORS

RED - DARK NAVY - WHITE

STANDARDS



PROBAN



SIZE RANGE (CM)

SIZE	CHEST	LENGTH HPS-BTM
S	57.00	98.00
M	59.00	100.00
L	61.00	102.00
XL	63.00	104.00
2XL	65.00	106.00
3XL	67.00	108.00
4XL	69.00	110.00
5XL	71.00	112.00

CHEF'S JACKET

(FR, NON-FR & TWILLS)

CATEGORY CAT 1&2
& ATPV RATING
8CAL-13CAL



Fabric Specification

- **Weight:** 200GSM-270gsm,
- **Weave:** 2/1 & 3/1S Twill, **Speciality:** Proban Fire Retardant



Care Instructions

- 🧺 Maximum washing temperature 60°C normal process
- ❌ Do not bleach
- 🧺 Professional dry cleaning
- 🧊 Iron at a maximum sole-plate temperature of 150°C
- ❌ Do not tumble dry.


Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Cover cloths from stains
- Front bone pocket & buttons at front plackets.

COLORS

 
DARK NAVY - WHITE

STANDARDS



PROBAN



SIZE RANGE (CM)

SIZE	CHEST	LENGTH
S	50.00	70.00
M	55.00	72.00
L	60.00	74.00
XL	65.00	76.00
2XL	70.00	78.00
3XL	75.00	80.00
4XL	80.00	82.00
5XL	85.00	84.00

2 PC SCRUBS

(FR, NON-FR & TWILLS)

CATEGORY CAT 1&2
& ATPV RATING
8CAL-13CAL



Fabric Specification

- **Weight:** 175GSM-240GSM,
- **Weave:** 2/1 & 3/1S Twill, **Speciality:** Proban Fire Retardant & Non FR

Care Instructions

- 🧺 Maximum washing temperature 40°C – 60°C normal process
- ❌ Do not bleach
- 🧺 Professional dry cleaning
- 🧺 Iron at a maximum sole-plate temperature of 150°C
- ❌ Do not tumble dry.


Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Cover cloths from stains
- Front

COLORS

WHITE - LIGHT NAVY - GREEN
OLIVE

STANDARDS



PROBAN



SIZE RANGE (CM)

SIZE	CHEST	LENGTH
S	50.00	70.00
M	55.00	72.00
L	60.00	74.00
XL	65.00	76.00
2XL	70.00	78.00
3XL	75.00	80.00
4XL	80.00	82.00
5XL	85.00	84.00

PUFFER JACKETS

All Types



**WINTER
ESSENTIALS**

Speciality: Organic & Synthetic Filling

PANTS, SHORTS, DENIM 5 PKT PANTS (STRETCH & NON-STRETCH)



Special Process GWP

- Dry process/PP Spray/Grinding/Patches/Ripping/Moustaches/ 3D Wrinkles

Fabric Specification

- **Weight:** 80Z-120Z,
- **Weave:** 3/1 RHT, **Speciality:** Highly Indigo

Care Instructions

- 🧺 Maximum washing temperature 40°C normal process
- ❌ Do not bleach
- 🧼 Professional dry cleaning
- 🔪 Iron at a maximum sole-plate temperature of 150°C
- ❌ Do not tumble dry.

Product Features

- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- Normal Pockets at back panel
- Two Front scoop pockets
- Zip Fly or Button Fly
- Printed & Plain Pocket bags

WASH COLORS

DARK WASH - MID WASH
LIGHT/BLEACH WASH
RANDOM ACID WASH

FIT

SLIM - SKINNY - STRAIGHT

SIZE RANGE (CM)

SIZE	WAIST (HALF)	INSEAM
28	40.00	81.00
30	42.00	81.00
32	44.00	81.00
34	46.00	81.00
36	48.00	81.00
38	51.00	81.00
40	53.00	81.00
42	55.00	81.00
44	57.00	81.00
46	59.00	81.00
48	61.50	81.00
50	64.00	81.00
52	66.50	81.00
54	69.00	81.00
56	71.50	81.00

CARGO PANTS & CHINOS

(STRETCH & NON-STRETCH FASHIONWEAR)



Fabric Specification

- **Weight:** 60Z-120Z,
- **Weave:** 2/1 & 3/1S Twill, **Speciality:** Peach Finishes qualities

Care Instructions

- 🧺 Maximum washing temperature 40°C normal process
- ❌ Do not bleach
- 🧼 Professional dry cleaning
- 🔪 Iron at a maximum sole-plate temperature of 150°C
- ❌ Do not tumble dry.

Product Features

- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- Bone pockets at back
- Two Front side pockets
- Elasticated WB Or Without Elasticated WB
- Zip Fly or Button Fly
- Printed & Plain Pocket bags

COLORS

NAVY BLUE - BLACK - MAROON
OLIVE - GREEN - WHITE - RED
ALL TYPES OF COLORS

FIT

SLIM - SKINNY - STRAIGHT

SIZE RANGE (CM)

SIZE	WAIST (HALF)	INSEAM
28	38.00	81.00
30	40.50	81.00
32	43.00	81.00
34	45.50	81.00
36	48.00	81.00
38	50.50	81.00
40	53.00	81.00

SARENA'S **SUSTAINABILITY INITIATIVE**

EXCELLENCE | SIGNIFICANCE | INSTITUTIONALIZATION

OUR CERTIFICATIONS

In line with our promise to be an internationally accredited manufacturer with sustainable and environmentally responsible practices, Sarena is fully certified and compliant with the following accreditations:

PRODUCT STEWARDSHIP



SOCIAL STEWARDSHIP




ENVIRONMENTAL STEWARDSHIP




ENVIRONMENTAL INITIATIVES:

WHERE WE STAND VIS A VIS INTERNATIONAL BENCHMARKS


STEAM CONSUMPTION PER KG FABRIC



WATER CONSUMPTION PER KG FABRIC



GHG EMISSION PER KG OF FABRIC



REFERENCES:

WATER, STEAM & ENERGY CONSUMPTION BENCHMARKING:

REF DOCUMENT

<https://eippcbjrc.ec.europa.edreference/txt.html>

GHG EMISSION BENCHMARKING:

Yan, Y., et al., Industrial carbon Footprint of several typical Chinese textile Fabrics. *Acta Ecologica Sinica*, 2016.36(3): p. 119-125.

https://www.researchgate.net/publication/303634993_Industrial_carbon_footprint_of_several_typical_Chinese_textile_fabrics



22 KM., SHEIKHUPURA ROAD, LAHORE-PAKISTAN

Tel: +92-42-37168901-05 Fax: +92-42-37168909 URL: www.sarenapk.com